

Rock Island Arsenal Directorate of Public Works

Building Official

TBA
309/782-0762 309/782-2550

Fire Marshal

Terry McMaster, Chief
terry.mcmaster@us.army.mil
309/782-2911

http://65.204.17.188//report/doc_ufc.html
Unified Facilities Criteria

Adopted Codes	Year	Code
Building	2012	IBC/NFPA 101
Mechanical	2012	IMC
Electrical	2011	NFPA 70
Plumbing	2012	IPC/IL
Existing Building Codes	2012	IEBC
Fire	2012	UFC 3-600-01 NFPA 1
Special Code Requirements	N/A	UFAS & IL Accessibility Code

For each YES below, check with the appropriate authority for details, fee schedules, and A / E stamp requirements.

Amendments	See Installation Design Guide	Permit Fees	None
Disabled Review	Y	# of Full Plan Sets (including Civil, Site & Landscape)	10
Historic Preservation Exemption	N	A/E Stamp	*
Energy Code Requirement	Y	Non-review Mail In Permits	N
Radon Gas Requirement	N	Contractor License	N
Zoning/Overlay District	N	Contractor Bond	Y
Storm Water Management	Y	Survey Certificate	N
Flood Zone Management	Y	Certificate of Occupancy	N
Plan Review Fees (in addition to Building Permit Fees)	N	1997 Abatement of Dangerous Bldg	

*** The codes listed are used to the extent directed by the Department of Defense Unified Facilities Criteria (UFC). For general building issues see UFC 1-200-01 Design: General Building Requirements. See the web site for a complete list of Unified Facilities Criteria. s listed
*A/E Stamps required to a degree by all code authorities. Contact appropriate authority for specific requirements.
Contact Webmaster jmason@agcqc.org.